

The background is a stylized illustration of a park. At the top, there are two trees with thick yellow trunks and green foliage. The foliage includes large green leaves and smaller reddish-brown leaves. The sky is a pale yellow. In the middle, the title text is centered. Below the text, there is a row of green bushes of varying heights. At the bottom, there is a green lawn with several small flowers: two white daisies and two orange daisies. The overall style is flat and colorful.

「不要餵飼野鴿」 資訊

簡介

餵飼野生動物及野鴿會帶來嚴重的環境衛生及動物滋擾的問題。



野鴿（學名：Columba livia）是一種在世界各地都十分常見的鳥，源自於棲息在海邊及山邊峭壁的原鴿（又稱「崖鴿」）。但原鴿、家鴿、野鴿其實都屬於同一品種，因此可相互交配繁殖。




崖鴿



家鴿



野鴿

The background features a stylized illustration of a landscape. On the left, a tall, light green tree trunk is visible. Below it, there are dark green bushes and a small green plant with two leaves. The ground is a light green field with several small, stylized flowers in white and orange. In the distance, there are more green bushes and a pale yellow sky.

鴿子一般是雌雄雙棲（一夫一妻）的，牠們在6個月大時已可進行繁殖。母鴿通常每次會產下兩隻蛋，公母鴿都會參與孵蛋，而孵化期大約為17 – 19日。雛鴿成長期大概為30日，期間會依靠其父母製造的「鴿乳」作主食。

特徵

大部分野鴿的毛色為灰藍色，頸部胸部的羽毛具有悅目的紫色、藍色、綠色、黃色及紅色的金屬光澤。翼上及尾端具有二條及一條黑色橫紋。由於鴿子經歷長時間的配種活動，在野鴿群中不難發現各種不同的毛色（如啡紅、全黑或全白等）。

除羽毛樣式外，大家也可從以下的特徵，
識別出野鴿：



棲息地和習性



海邊或山邊的峭壁是鴿子的絕佳棲息地，用以躲避天敵（如鷹及隼等），從而增加存活機會。由於人為餵飼活動，有為數不少的野鴿被吸引到市區。野鴿會以大廈的簷篷、冷氣機或排氣喉位置作天然峭壁的替代。

野鴿的食物種類很廣。在自然環境中，牠們會以不同的種子、穀物（如玉米、花生、稻米等）及蔬果作食糧。野鴿並非草食性動物，偶爾會捕食一些小蟲、昆蟲或蝸牛等。



由於野鴿的雜食性，牠們很容易受人為餵飼的食物吸引而聚集在市區。野鴿會進食幾乎所有人為提供的食品如米飯、麵包、壽司甚至是快餐食品等，造成大量野鴿於市區聚集。



餵飼問題

餵飼野鴿衍生的問題包括多方面：

1. 動物福利

- 野鴿過重或營養失衡
- 失去覓食本能
- 讓野鴿置身危險(例如在馬路上逗留)
- 野鴿生活環境惡劣，以及野鴿數量過多造成過度擠迫，增加傳染病及寄生蟲於族群中傳播的風險



2. 環境衛生

- 野鴿糞便會弄污建築物
- 餵飼所留下的食物餘渣有機會吸引蟲鼠如老鼠及蟑螂等
- 可能增加疾病傳播的風險

3. 自然環境

- 野鴿為香港的外來品種，過度繁殖可能會為本港的原生物種帶來負面影響，破壞生態平衡

